

	L #	Hits	Search Text	DBs
1	L1	231	((set or setting or configuratino or configure or configuring or combin\$3 or consolidat\$3 or merg\$3) with ((packet near4 filter) or (validation near4 rule) or (filter near4 rule) or (validat\$3 near4 packet))).ab,clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L2	3	((set or setting or configuration or configure or configuring or combin\$3 or consolidat\$3 or merg\$3) with ((packet near4 filter) or (validation near4 rule) or (filter near4 rule) or (validat\$3 near4 packet))).ti.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
3	L3	246	((set or setting or configuration or configure or configuring or combin\$3 or consolidat\$3 or merg\$3) with ((packet near4 filter) or (validation near4 rule) or (filter near4 rule) or (validat\$3 near4 packet))).ab,clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L4	212	(configur\$5) near4 ((packet near2 filter) or (validat\$3 near2 rule))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L5	101	4 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
6	L6	24315	(configur\$5) near4 ((filter\$3 or validation near2 parameter))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L7	195	(configur\$5) near4 ((filter\$3 or validation) near2 parameter)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
8	L8	111	7 and (@ad<20010319 or @prad<20010319) not 5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
9	L16	14	8 and packet	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
10	L17	1414	709/220.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
11	L18	107	17 and (filter or rule or validation or parameter) with packet	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
12	L19	313	17 and (filter or rule or validation or parameter) with (ip or address or packet)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
13	L20	112	19 and (tree or hierarch\$4 or concat)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
14	L21	72	20 and (@ad<20010319 or @prad<20010319) not 5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
1	L6	6334	validat\$3 near4 packet or filter near4 packet or filter near4 rule or validat\$3 near4 rule	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L7	1655	denial adj2 service or flood\$3 near3 attack	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
3	L8	324	6 and 7	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L9	52340	(consolidat\$3 or combin\$5 or coalesc\$3 or aggregat\$3 conjoin\$3) near5 (rule or filter)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L10	173	remov\$3 near3 (duplicate or replica or repeat\$3) near3 (rule or filter)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
6	L11	134	8 and 9	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L12	15	11 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
8	L13	33	(6 7 9) and 10	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
9	L14	21	13 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
10	L15	36	12 or 14	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
11	L16	72076	(consolidat\$3 or combin\$5 or coalesc\$3 or aggregat\$3 conjoin\$3) near5 (rule or filter or parameter)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
12	L17	98364	(consolidat\$3 or combin\$5 or coalesc\$3 or aggregat\$3 or conjoin\$3 or group\$3) near5 (rule or filter or parameter)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
13	L18	149	7 and 6 and 17	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
14	L19	190	6 and 7 and (tree or hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
15	L20	22	18 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
16	L22	4	disseminat\$4 near4 6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
17	L21	25	19 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
18	L23	58	8 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
19	L24	35	6 same 7	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
20	L25	10	24 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
21	L26	198	(filter\$3 or validat\$4) near4 (rule or parameter) same packet and (rule or parameter or filter) near5 (distribut\$3 or shar\$3 or consolidat\$3 or combin\$5 or coalesc\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
22	L28	96	27 and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
23	L27	107	26 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
24	L29	272	(6 or 7 or 17) and (709/225,242.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
25	L30	162	29 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
26	L31	0	6611875.URPN.	USPAT
27	L32	2	6158008.URPN.	USPAT
28	L33	148	30 not 27 not 25 not 20 not 21 not 12 not 14	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	115	(network near3 manag\$5 or 709/223-226.ccls.) and tree near3 router	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L2	59	1 and configur\$5 near4 router	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
3	L3	24	2 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L4	405	(network near3 manag\$5 or 709/223-226.ccls.) and (tree or hierarch\$4) with router	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L5	116	(network near3 manag\$5 or 709/223-226.ccls.) and (tree or hierarch\$4) with router with (interface or connect\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
6	L6	65	5 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L7	108	(router near3 (manag\$5 or configur\$5) or 709/220-226.ccls.) and tree with router with (configur\$5 or topology)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
8	L8	40	7 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
9	L9	747	network with tree with topology	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
10	L10	76603	(configur\$5 or manag\$5) with (router or switch or gateway)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
11	L11	231	9 and 10	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
12	L13	9110	((configur\$5 or manag\$5) with (router or switch or gateway)).ti,ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
13	L14	19	9 and 13	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
14	L15	14	14 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
15	L16	24	(manager or management or managing or manage) near5 (connect\$3) near5 (node or router or device or client) near5 tree	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
16	L17	4	16 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
17	L18	500	tree near5 topology near5 network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
18	L19	70935	(manager or management or managing or manage) near5 (node or router or device or client)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
19	L20	142	18 and 19	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
20	L21	29132	((manager or management or managing or manage) near5 (node or router or device or client)).ti,ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
21	L22	20	18 and 21	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
22	L23	15	22 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
23	L24	190	(tree and topology).ti,ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
24	L25	29	24 and 709/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
25	L26	21	25 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
26	L27	100	(manager or administrator) near4 tree near4 (client or node or router or device)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
27	L28	66	27 and (@ad<20010319 or @prad<20010319)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB